Practice: 612 - Tree/Shrub Establishment Scenario: #1 - Individual tree, hand planting

Scenario Description:

Tree seedlings will be hand planted in the forested area where few or no forest trees are growing, the existing stand of trees needs underplanting, or the previously planted seedling tree stocking level is below desirable conditions. Wildlife habitat is degraded by loss of forest conditions. The resource concerns addressed are degraded plant condition: inadequate structure and compositio, and inadequate wildlife & fish habitat.

Before Situation:

The stocking level of the forest does not meet the minimum recommended number of trees per acre. The existing condition of the forest stand does not meet the landowner's objectives. To be a viable forest, additional seedlings need planting. Wildlife habitat is rated poor.

After Situation:

The prescribed number of trees are hand planted on 20 acres and the objectives of the landowner are met. The forest will provide wildlife habitat, long term ground cover, and capture atmospheric carbon.

Scenario Feature Measure: Area Planted

Scenario Unit: Each

Scenario Typical Size: 6,000

Scenario Cost: \$6,011.78 Scenario Cost/Unit: \$1.00

Cost Details (by catego	ry):			Price		
Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Equipment/Installation						
Hand tools, tree planting	1590	Various hand tools for digging holes and planting trees such as augers, dibble bars, planting shovel, hoe-dad. Equipment only. Labor not included.	Hour	\$11.62	100	\$1,162.00
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$38.70	8	\$309.60
Labor						
General Labor	231	Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$18.71	120	\$2,245.20
Supervisor or Manager	234	Labor involving supervision or management activities. Includes crew supervisors, foremen and farm/ranch managers time required for adopting new technology, etc.	Hour	\$37.49	2	\$74.98
Materials						
Tree, conifer, seedling, containerized, 8 cu. in.	1518	Containerized conifer stock, 8 cubic inches (e.g. 1.5" x 6"). Includes materials and shipping only.	Each	\$0.37	6000	\$2,220.00

Scenario: #2 - Individual tree, hand planting with browse protection

Scenario Description:

Tree seedlings will be hand planted in the forested area where few or no forest trees are growing, the existing stand of trees needs underplanting, or the previously planted seedling tree stocking level is below desirable conditions. Seedlings are protected from wildlife browsing. Wildlife habitat is degraded by loss of forest conditions. The resource concerns addressed include degraded plant condition: inadequate structure and composition and inadequate wildlife & fish habitat.

Before Situation:

The stocking level does not meet the minimum recommended number of trees per acre and does not meet the landowner's objectives. To be a viable forest, additional seedlings need planting. Wildlife habitat is rated poor. Wildlife are known to browse tree seedlings in the area causing great damage.

After Situation:

The prescribed number of trees are hand planted, and the objectives of the landowner are met. Seedlings are protected from widlife browsing by installing some type of protective device. A forest will provide wildlife habitat, long term ground cover, and capture atmospheric carbon.

Scenario Feature Measure: Each Planted Seedling

Scenario Unit: Each

Scenario Typical Size: 6,000

Scenario Cost: \$32,214.30 Scenario Cost/Unit: \$5.37

Cost Details (by category) Component Name	, ID	Component Description	Unit	Price	Quantity	Cost
	טו	Component Description	Oilit	(\$/unit)	Quantity	CUST
Equipment/Installation			1			1
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$38.70	16	\$619.20
Hand tools, tree planting		Various hand tools for digging holes and planting trees such as augers, dibble bars, planting shovel, hoe-dad. Equipment only. Labor not included.	Hour	\$11.62	100	\$1,162.00
Labor						
General Labor		Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$18.71	230	\$4,303.30
Supervisor or Manager		Labor involving supervision or management activities. Includes crew supervisors, foremen and farm/ranch managers time required for adopting new technology, etc.	Hour	\$37.49	20	\$749.80
Materials						
Tree, conifer, seedling, containerized, 8 cu. in.		Containerized conifer stock, 8 cubic inches (e.g. 1.5" x 6"). Includes materials and shipping only.	Each	\$0.37	6000	\$2,220.00
Tree shelter, wire mesh		5 feet tall, Woven Wire mesh, 6"x 6" opening or smaller, 10 gauge wire (minimum), cage placed around seedling for animal protection. Materials only.	Each	\$2.30	6000	\$13,800.00
Stakes, wood, 3/4" x 3/4" x 60"		3/4" x 3/4" x 60" wood stakes to fasten items in place.	Each	\$1.56	6000	\$9,360.00

Scenario: #3 - Trees, machine planted with tubes for animal protection

Scenario Description:

This practice involves planting tree seedlings after the site has been prepared for seedling growth and establishment. The productivity of the site is good and will handle a medium density planting rate. Typical scenario will consist of 1000 feet of trees with tubes for animal protection. The resource concerns addressed are degraded plant condition: undesirable plant productivity and health, inadequate structure and composition, and degraded wildlife habitat. Terrain is moderately sloping and will be planted with a mechanical tree planter. Smaller size seedlings (1-0) are planted.

Before Situation:

The land has little or no tree cover, or is stocked with the wrong tree species. Competing vegetation is a concern before and after planting. Soil condition is degraded due to the loss of the native forest ecosystem (organic matter in topsoil depleted). Native wildlife habitat is lacking. The main resource concern is degraded plant condition: inadequate structure and composition.

After Situation:

Land is established with permanent tree cover that will improve degraded plant condition, reduce soil erosion, establish wildlife habitat, sequester carbon and reduce invasive species presence. Establishing forest vegetation also creates corridors for wildlife movement. Planted trees have vexar tubes, or something similar, installed as protection from animal damage.

Scenario Feature Measure: Number of Trees

Scenario Unit: Each

Scenario Typical Size: 100

Scenario Cost: \$968.61 Scenario Cost/Unit: \$9.69

Cost Details (by category		Price				
Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Equipment/Installation						
Tractor, agricultural, 60 HP	963	Agricultural tractor with horsepower range of 50 to 90. Equipment and power unit costs. Labor not included.	Hour	\$24.41	1	\$24.41
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$38.70	2	\$77.40
Mechanical tree planter	1600	Mechanical tree planter. Requires a pulling unit of either tractor or small dozer depending upon site conditions. Does not include labor.	Hour	\$6.60	1	\$6.60
Labor						
Equipment Operators, Light	232	Includes: Skid Steer Loaders, Hydraulic Excavators <50 HP, Trenchers <12", Ag Equipment <150 HP, Pickup Trucks, Forklifts, Mulchers	Hour	\$22.38	2	\$44.76
General Labor	231	Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$18.71	4	\$74.84
Materials						
Wire flags		Small vinyl flags attached to wire stakes, typically, 36" in length, for marking tree rows	Each	\$0.09	40	\$3.60
Stakes, wood, 3/4" x 3/4" x 60'		3/4" x 3/4" x 60" wood stakes to fasten items in place. Includes materials only.	Each	\$1.56	100	\$156.00
Cable ties, plastic		Plastic cable ties (typ. 8-12") to assist in securing items. Materials only.	Each	\$0.05	100	\$5.00
Tree shelter, solid tube type, 4" x 60"		4" x 60" tree tube for protection from animal damage. Materials only.	Each	\$5.07	100	\$507.00
Tree, hardwood, seedling or transplant, bare root, 6-18"	1509	Bare root hardwood trees 6-18" tall. Includes materials and shipping only.	Each	\$0.69	100	\$69.00

Scenario: #4 - Trees, machine planted, no tubes

Scenario Description:

This practice involves planting tree seedlings after the site has been prepared for seedling growth and establishment. The productivity of the site is good and will handle a medium density planting rate. Typical scenario will consist of 1000 feet of trees. The resource concerns addressed are degraded plant condition: undesirable plant productivity and health, inadequate structure and composition, and degraded wildlife habitat. Terrain is moderately sloping and will be planted with a mechanical tree planter. Smaller size seedlings (1-0) are planted.

Before Situation:

The land has little or no tree cover, or is stocked with the wrong tree species. Competing vegetation is a concern before and after planting. Soil condition is degraded due to the loss of the native forest ecosystem (organic matter in topsoil depleted). Native wildlife habitat is lacking. The main resource concern is degraded plant condition: inadequate structure and composition.

After Situation:

Land is established with permanent tree cover that will improve degraded plant condition, reduce soil erosion, establish wildlife habitat, sequester carbon and reduce invasive species presence. Establishing forest vegetation also creates corridors for wildlife movement.

Scenario Feature Measure: Number of Trees

Scenario Unit: Each

Scenario Typical Size: 100

Scenario Cost: \$300.61 Scenario Cost/Unit: \$3.01

Cost Details (by category	Cost Details (by category):							
Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost		
Equipment/Installation								
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$38.70	2	\$77.40		
Mechanical tree planter		Mechanical tree planter. Requires a pulling unit of either tractor or small dozer depending upon site conditions. Does not include labor.	Hour	\$6.60	1	\$6.60		
Tractor, agricultural, 60 HP		Agricultural tractor with horsepower range of 50 to 90. Equipment and power unit costs. Labor not included.	Hour	\$24.41	1	\$24.41		
Labor								
General Labor		Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$18.71	4	\$74.84		
Equipment Operators, Light		Includes: Skid Steer Loaders, Hydraulic Excavators <50 HP, Trenchers <12", Ag Equipment <150 HP, Pickup Trucks, Forklifts, Mulchers	Hour	\$22.38	2	\$44.76		
Materials								
Tree, hardwood, seedling or transplant, bare root, 6-18"		Bare root hardwood trees 6-18" tall. Includes materials and shipping only.	Each	\$0.69	100	\$69.00		
Wire flags		Small vinyl flags attached to wire stakes, typically, 36" in	Each	\$0.09	40	\$3.60		

Scenario: #5 - Trees, machine planted with tubes for animal protection, supplemental water for establishment

Scenario Description:

Tree planting in an area where supplemental water is needed for successful establishment. Generally these areas would be considered arid or drought stricken, but other factors may contribute to requiring supplemental water. This practice involves planting of tree seedlings after the site has been prepared for seedling growth and establishment. The productivity of the site is good and will handle a medium density planting rate. Typical scenario will consist of 1000 feet of trees with tubes for animal protection. The resource concerns addressed are degraded plant condition: undesirable plant productivity and health, inadequate structure and composition, and degraded wildlife habitat. Terrain is moderately sloping and will be planted with a mechanical tree planter. Smaller size seedlings (1-0) are planted.

Before Situation:

The land has little or no tree cover, or is stocked with the wrong tree species. Competing vegetation is a concern before and after planting. Soil condition is degraded due to the loss of the native forest ecosystem (organic matter in topsoil depleted). Native wildlife habitat is lacking. The main resource concern is degraded plant condition: inadequate structure and composition. The area generally includes arid or drought conditions that greatly reduce the success of tree survival.

After Situation:

Land is established with permanent tree cover that will improve degraded plant condition, reduce soil erosion, establish wildlife habitat, sequester carbon and reduce invasive species presence. Establishing forest vegetation also creates corridors for wildlife movement. Planted trees have vexar tubes, or something similar, installed as protection from animal damage. Greatly improved success rate of the windbreak due to the supplemental water during establishment.

Scenario Feature Measure: Number of Trees

Scenario Unit: Each

Scenario Typical Size: 100

Scenario Cost: \$1,559.57 Scenario Cost/Unit: \$15.60

Cost Details (by category) Component Name		Component Description	Unit	Price (\$/unit)	Quantity	Cost
Equipment/Installation		·		(4/ 5		
Mechanical tree planter		Mechanical tree planter. Requires a pulling unit of either tractor or small dozer depending upon site conditions. Does not include labor.	Hour	\$6.60	1	\$6.60
Tractor, agricultural, 60 HP		Agricultural tractor with horsepower range of 50 to 90. Equipment and power unit costs. Labor not included.	Hour	\$24.41	1	\$24.41
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$38.70	3	\$116.10
Labor						
General Labor		Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$18.71	10	\$187.10
Equipment Operators, Light		Includes: Skid Steer Loaders, Hydraulic Excavators <50 HP, Trenchers <12", Ag Equipment <150 HP, Pickup Trucks, Forklifts, Mulchers	Hour	\$22.38	2	\$44.76
Materials						
Micro Irrigation, drip irrigation system, small scale		An above ground, small scale, micro-irrigation system. Includes miniature emitters, tubes, or applicators placed along a water delivery line. Includes materials and shipping only.	Square Foot	\$0.11	4000	\$440.00
Stakes, wood, 3/4" x 3/4" x 60"		3/4" x 3/4" x 60" wood stakes to fasten items in place. Includes materials only.	Each	\$1.56	100	\$156.00
Tree, hardwood, seedling or transplant, bare root, 6-18"		Bare root hardwood trees 6-18" tall. Includes materials and shipping only.	Each	\$0.69	100	\$69.00
Wire flags	1586	Small vinyl flags attached to wire stakes, typically, 36" in length, for marking tree rows	Each	\$0.09	40	\$3.60
Tree shelter, solid tube type, 4" x 60"		4" x 60" tree tube for protection from animal damage. Materials only.	Each	\$5.07	100	\$507.00
Cable ties, plastic	1575	Plastic cable ties (typ. 8-12") to assist in securing items.	Each	\$0.05	100	\$5.00

Scenario: #6 - Trees, machine planted, no tubes, supplemental water for establishment

Scenario Description:

Tree planting in an area where supplemental water is needed for successful establishment. Generally these areas would be considered arid or drought stricken, but other factors may contribute to requiring supplemental water. This practice involves planting of tree seedlings after the site has been prepared for seedling growth and establishment. The productivity of the site is good and will handle a medium density planting rate. Typical scenario will consist of 1000 feet of trees. The resource concerns addressed are degraded plant condition: undesirable plant productivity and health, inadequate structure and composition, and degraded wildlife habitat. Terrain is moderatey sloping and will be planted with a mechanical tree planter. Smaller size seedlings (1-0) are planted.

Before Situation:

The land has little or no tree cover, or is stocked with the wrong tree species. Competing vegetation is a concern before and after planting. Soil condition is degraded due to the loss of the native forest ecosystem (organic matter in top soil depleted). Native wildlife habitat is lacking. The main resource concern is degraded plant condition: inadequate structure and composition. The area generally includes arid or drought conditions that greatly reduce the success of tree survival.

After Situation:

Land is established with permanent tree cover that will improve degraded plant condition, reduce soil erosion, establish wildlife habitat, sequester carbon and reduce invasive species presence. Establishing forest vegetation also creates corridors for wildlife movement. Greatly improved success rate of the windbreak due to the supplemental water during establishment.

Scenario Feature Measure: Number of Trees

Scenario Unit: Each

Scenario Typical Size: 100

Scenario Cost: \$891.57 Scenario Cost/Unit: \$8.92

Cost Details (by category):				Price		
Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Equipment/Installation						
Mechanical tree planter	1600	Mechanical tree planter. Requires a pulling unit of either tractor or small dozer depending upon site conditions. Does not include labor.	Hour	\$6.60	1	\$6.60
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$38.70	3	\$116.10
Tractor, agricultural, 60 HP	963	Agricultural tractor with horsepower range of 50 to 90. Equipment and power unit costs. Labor not included.	Hour	\$24.41	1	\$24.41
Labor						
General Labor	231	Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$18.71	10	\$187.10
Equipment Operators, Light	232	Includes: Skid Steer Loaders, Hydraulic Excavators <50 HP, Trenchers <12", Ag Equipment <150 HP, Pickup Trucks, Forklifts, Mulchers	Hour	\$22.38	2	\$44.76
Materials						
Tree, hardwood, seedling or transplant, bare root, 6-18"	1509	Bare root hardwood trees 6-18" tall. Includes materials and shipping only.	Each	\$0.69	100	\$69.00
Micro Irrigation, drip irrigation system, small scale	2170	An above ground, small scale, micro-irrigation system. Includes miniature emitters, tubes, or applicators placed along a water delivery line. Includes materials and shipping only.	Square Foot	\$0.11	4000	\$440.00
Wire flags	1586	Small vinyl flags attached to wire stakes, typically, 36" in length, for marking tree rows	Each	\$0.09	40	\$3.60

Scenario: #7 - Hardwood Planting, 1 gallon pots

Scenario Description:

Hardwood seedlings (potted) to be planted to reestablish an upland hardwood forest. Planting will be by hand. The resource setting is an area that historically was an upland hardwood forest. Resource concerns are degraded plant condition: undesireable productivity and health, inadequate structure and composition, and inadequate habitat for fish and wildlife.

Before Situation:

The native forest has been removed and the land is either cropped, grazed, hayed or brushy forest. If any upland trees exist, they are of poor quality or are undesirable species. Terrain is gently to moderately sloping with sheet and rill soil erosion occurring.

After Situation:

The area of treatment is 10 acres. Potted/containerized hardwood seedlings are planted by hand. Post vegetation control should be evaluated and conducted if necessary.

Scenario Feature Measure: Area of Treatment

Scenario Unit: Acre

Scenario Typical Size: 10

Scenario Cost: \$8,380.04 Scenario Cost/Unit: \$838.00

Cost Details (by category): Price **Component Name Component Description** Unit **Quantity Cost** (\$/unit) Equipment/Installation Truck, Pickup 939 Equipment and power unit costs. Labor not included. Hour \$38.70 \$309.60 Hand tools, tree planting 1590 Various hand tools for digging holes and planting trees Hour \$11.62 15 \$174.30 such as augers, dibble bars, planting shovel, hoe-dad. Equipment only. Labor not included. Labor General Labor 231 Labor performed using basic tools such as power tool, \$18.71 34 \$636.14 Hour shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc. Materials 1531 Potted hardwood tree, 1/2 to 1 gal. Includes materials and Each \$4.84 1500 \$7,260.00 Tree, hardwood, seedling or transplant, potted, 1/2 to 1 gal. shipping only.

Scenario: #8 - Hardwood Establishment, direct seeding

Scenario Description:

Native seeds (acorns, nuts, etc) from native tree species are directly planted in the soil. The direct seeding is done with a broadcast seeder so the seeding rates have been increased. Site preparation is completed (disking to eliminate competing vegetation). The native seeds are collected/purchased locally to ensure trees are known to be adapted to local conditions. Resource concerns are degraded plant condition, and inadequate habitat for fish and widllife.

Before Situation:

The hardwood forest is degrading. High value species, lumber and widlife habitat are not regenerating due to changes in the natural disturbance regime or past harvesting. Unwanted shade tolerant tree species have regenerated and are in the overstory competing with desirable species as well as in the mid and understory where they will eventually out-compete desirable species.

After Situation:

Seeds from native species are collected or purchased and planted at prescribed rates. Site preparation is done prior to direct seeding. Degraded plant condition and wildlife habitat are on an upward trend.

Scenario Feature Measure: Area of Treatment

Scenario Unit: Acre

Scenario Typical Size: 10

Scenario Cost: \$5,461.86 Scenario Cost/Unit: \$546.19

Cost Details (by category	·):			Price		
Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Equipment/Installation						
Mechanical nut planter	1601	Mechanical nut planter for direct seeding of trees and shrubs. Requires a pulling unit of either tractor or small dozer depending upon site conditions. Does not include labor.	Hour	\$2.07	4	\$8.28
Tillage, Light	945	Includes light disking (tandem) or field cultivator. Includes equipment, power unit and labor costs.	Acre	\$10.98	4	\$43.92
Tractor, agricultural, 60 HP	963	Agricultural tractor with horsepower range of 50 to 90. Equipment and power unit costs. Labor not included.	Hour	\$24.41	4	\$97.64
Labor						
Equipment Operators, Light	232	Includes: Skid Steer Loaders, Hydraulic Excavators <50 HP, Trenchers <12", Ag Equipment <150 HP, Pickup Trucks, Forklifts, Mulchers	Hour	\$22.38	6	\$134.28
General Labor	231	Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$18.71	8	\$149.68
Materials						
Trees and shrubs, seed	1871	Brush Chipper, 12" capacity, typically 35 HP. Includes chipper and power unit. Does not include labor.	Pound	\$4.67	1000	\$4,670.00
Mobilization				·	·	
Mobilization, small equipment	1138	Equipment <70 HP but can't be transported by a pick-up truck or with typical weights between 3,500 to 14,000 pounds.	Each	\$179.03	2	\$358.06

Scenario: #9 - Shrub Planting

Scenario Description:

Shrubs are planted to provide a more diverse habitat. Plantings are in either uplands or bottomlands. The site lacks ground level habitat structure and diversity for widlife. Resource concern is inadequate habitat for fish and wildife - habitat fragmentation.

Before Situation:

No shrubbery vegetation, or very little, is present in the forest understory. Wildlife species that need shrub cover are not present. An adequate stand of overstory trees is present, but it is a single level, versus the desired multi-level structure.

After Situation:

A 10 acre area is planted with shrubs. Shrubs are not planted over the entire 10 acres. They are planted in groups or motts. The motts, roughly circular in shape, are 50 feet in diameter, with 50 shrubs planted within each mott. 4 motts are planted per acre, for a total of 200 shrubs per acre. Motts are randomly established to take advantage of site conditions and shrub species being planted.

Scenario Feature Measure: Per plant

Scenario Unit: Each

Scenario Typical Size: 2,000

Scenario Cost: \$1,850.26 Scenario Cost/Unit: \$0.93

Cost Details (by category	/):			Price		
Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Equipment/Installation						
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$38.70	6	\$232.20
Hand tools, tree planting	1590	Various hand tools for digging holes and planting trees such as augers, dibble bars, planting shovel, hoe-dad. Equipment only. Labor not included.	Hour	\$11.62	10	\$116.20
Labor						
General Labor		Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$18.71	14	\$261.94
Supervisor or Manager	234	Labor involving supervision or management activities. Includes crew supervisors, foremen and farm/ranch managers time required for adopting new technology, etc.	Hour	\$37.49	8	\$299.92
Materials		·		·	·	
Shrub, seedling or transplant, bare root, 6-18"		Bare root hardwood trees 6-18" tall. Includes materials and shipping only.	Each	\$0.47	2000	\$940.00

Scenario: #10 - Shrub Thicket

Scenario Description:

Shrubs are planted to provide a more diverse habitat. Plantings are in either uplands or bottomlands. The site lacks ground level habitat structure and diversity for widlife. Resource concern is inadequate habitat for fish and wildife - habitat fragmentation.

Before Situation:

No shrubbery vegetation, or very little, is present in the forest understory. Wildlife species that need shrub cover are not present. An adequate stand of overstory trees is present, but it is a single level, versus the desired multi-level structure.

After Situation:

A 30x50 foot area is planted with 150 shrubs forming a dense thicket. The thicket is established to take advantage of site conditions and shrub species being planted.

Scenario Feature Measure: Per shrub

Scenario Unit: Each

Scenario Typical Size: 150

Scenario Cost: \$304.90 Scenario Cost/Unit: \$2.03

Cost Details (by category	Cost Details (by category):							
Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost		
Equipment/Installation								
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$38.70	2	\$77.40		
Tillage, Light		Includes light disking (tandem) or field cultivator. Includes equipment, power unit and labor costs.	Acre	\$10.98	0.5	\$5.49		
Tractor, agricultural, 60 HP		Agricultural tractor with horsepower range of 50 to 90. Equipment and power unit costs. Labor not included.	Hour	\$24.41	1	\$24.41		
Mechanical tree planter		Mechanical tree planter. Requires a pulling unit of either tractor or small dozer depending upon site conditions. Does not include labor.	Hour	\$6.60	1	\$6.60		
Labor								
Equipment Operators, Light		Includes: Skid Steer Loaders, Hydraulic Excavators <50 HP, Trenchers <12", Ag Equipment <150 HP, Pickup Trucks, Forklifts, Mulchers	Hour	\$22.38	2	\$44.76		
General Labor		Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$18.71	4	\$74.84		
Materials			•					
Shrub, seedling or transplant, bare root, 6-18"		Bare root hardwood trees 6-18" tall. Includes materials and shipping only.	Each	\$0.47	150	\$70.50		
Wire flags		Small vinyl flags attached to wire stakes, typically, 36" in length, for marking tree rows	Each	\$0.09	10	\$0.90		